



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




NOTE:  
REF. AGUSTA T/N 109-3400-79-1.

 <b>RED BARN MACHINE</b>	
<b>TITLE</b> TOOL ASSY, DRIVE QUILL SEAL INSTL.	
<b>DWG NO.</b> RBW109-3400-79-1	<b>REV</b> 
<b>MAT'L</b> UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005      FRACTIONS ± 1/32 .XX ± .01        ANGLES ± 5° .X ± .1	<b>DRAWN BY:</b> MARPET <b>APPROVED</b> <i>D Weil</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>USED ON MODEL</b> AW109, AW119
<b>SCALE</b> 1:2	<b>DATE</b> 6/13/2013
<b>SHEET 1 OF 3</b>	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PUNCH	6061	Ø1-5/8 X 3-1/4	2
			-3	1	GUIDE, PUNCH	6061	Ø1-7/8 X 1-3/4	3



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.



REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



①



PUNCH





 <b>RED BARN MACHINE</b>	
<b>TITLE</b> TOOL ASSY, DRIVE QUILL SEAL INSTL.	
<b>DWG NO.</b> RBW109-3400-79-1-1	<b>REV</b> 1
<b>MAT'L</b> 6061	<b>DRAWN BY:</b> MARPET
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	<b>APPROVED</b>  <b>HEAT TREAT</b> CLEAR ANODIZE <b>SPEC</b> MIL-A-8625F, TYPE II, CLASS I <b>USED ON MODEL</b> AW109, AW119
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
<b>SCALE</b> 1:2	<b>DATE</b> 6/13/2013
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-3)  
GUIDE, PUNCH

 <b>RED BARN MACHINE</b>	
<b>TITLE</b> TOOL ASSY, DRIVE QUILL SEAL INSTL.	
<b>DWG NO.</b> RBW109-3400-79-1-3	<b>REV</b>
<b>MAT'L</b> 6061	<b>DRAWN BY:</b> MARPET
<b>UNLESS OTHERWISE SPECIFIED</b> DIMENSIONS ARE IN INCHES .XXX $\pm$ .005 .XX $\pm$ .01 .X $\pm$ .1 FRACTIONS $\pm$ 1/32 ANGLES $\pm$ 5°	<b>APPROVED</b>  <b>HEAT TREAT</b> CLEAR ANODIZE <b>SPEC</b> MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>USED ON MODEL</b> AW109, AW119
<b>SCALE</b> 1:2	<b>DATE</b> 6/13/2013
<b>SHEET 3 OF 3</b>	